

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18

Component Name	Class Name
EmptyInbox.dll	CAddin
InboxLv11.dll	CTInboxL11
InboxLv12.dll	CTInboxL12
CalendarLv11.dll	CTCalendarL11
CalendarLv12.dll	CTCalendarL12
ContactLv11.dll	CTContactL11
ContactLv12.dll	CTContactL12
TaskLv11.dll	CTTaskL11
TaskLv12.dll	CTTaskL12
ProjectLv11.dll	CTProjectL11
ProjectLv12.dll	CTProjectL12
NotesLv11.dll	CTNotesL11
NotesLv12.dll	CTNotesL12
InboxLv21.dll	CTInboxL21
InboxLv22.dll	CTInboxL22
CalendarLv21.dll	CTCalendarL21
CalendarLv22.dll	CTCalendarL22
ContactLv21.dll	CTContactL21
ContactLv22.dll	CTContactL22
TaskLv21.dll	CTTaskL21
TaskLv22.dll	CTTaskL2
ProjectLv21.dll	CTProjectL21
ProjectLv22.dll	CTProjectL22
InboxLv31.dll	CTInboxL31
InboxLv32.dll	CTInboxL32
TaskLv31.dll	CTInboxL31
TaskLv32.dll	CTInboxL32

Figure 19

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CAddin	IAddin	IDispatch _IDTExtensible ity2	1) <u>Outlook:: Application</u> <u>m_olApp;</u> 2) <u>Outlook:: Explorer</u> <u>m_Explorer;</u> 3) <u>Outlook::MAPIFolder</u> <u>m_ProjectFolder</u> <u>m_DoneFolder</u> 4) struct tagUndo M_Undo 5) int m_IsMail m_IsProject, m_IsLowTask 6) long m_TaskType 7) char * m_ActionWord	HRESULT Invoke(DISPID dispidMember, REFIID riid, LCID lcid, WORD wFlags, DISPPARAMS* pDispParams, VARIANT* pvarResult, EXCEPINFO* pExcepInf o, UINT* puArgErr)	This method get called when user changes the folder or opens new Item This Method checks for Done and Project Folder and if not found creates those folder Created new Shortcut bar called Empty Inbox Checks whether the opening level

Figure 20A

					is level 2 or level 3
				1)SetInboxLv1Bars(IDispatch *spBars)	Attaches toolbar for Inbox Level1
				2)SetInboxLv2Bars(IDispatch *spBars)	Attaches toolbar for Inbox Level2
				3)SetCalendarLv1Bars(IDispatch *spBars)	Attaches toolbar for calendar Level1
				4)SetCalendarLv2Bars(IDispatch *spBars)	Attaches toolbar for calendarLevel2
				3)SetContactLv1Bars(IDispatch *spBars)	Attaches toolbar for contact Level1
				4)SetContactLv2Bars(IDispatch *spBars)	Attaches toolbar for contact Level2

Figure 20B

					5)SetTaskLv1Bars(IDisp atch *spBars)	Attaches toolbar for Task Level1
					6)SetTaskLv2Bars(IDisp atch *spBars)	Attaches toolbar for task Level2
					7)SetProjectLv1Bars(IDi spatch *spBars)	Attaches toolbar for project Level1
					8)SetProjectLv2Bars(IDi spatch *spBars)	Attaches toolbar for Project level 2
					9)SetNotesLv1Bars(IDis patch *spBars)	Attaches toolbar for Notes Level1
CTInbo xL11	ITInboxL11	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3) <u>Outlook::_CommandBars</u> m_CmdBars;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified	

Figure 20C

			<p>4) Outlook::CommandBar m_NewBar;</p> <p>5) Office::_CommandBarButton m_cmdBtnReply, m_cmdBtnReplyAll, m_cmdBtnDelegate, m_cmdBtnAssignTask, m_cmdBtnDone, m_cmdBtnCreateTask, m_cmdBtnScheduleAppt, m_cmdBtnWatchlist, m_cmdBtnMakeNote, m_cmdBtnFileWithAppt, m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.</p>					Commandbar.
--	--	--	---	--	--	--	--	-------------

Figure 20D

CTInbo xL12	ITInboxL12	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook::_CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTCale ndarL1 1	ITCalendarL1 1	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook::_CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p> <p>5)<u>Office::_CommandBarButton</u> m_cmdBtnFileWithTask, m_cmdBtnFileWithContact,</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>

Figure 20E

CTCalendarL1 2	ITCalendarL1 2	none	m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.			Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTCalendarL1 2	ITCalendarL1 2	none	1)Outlook:: <u>Application</u> m_olApp; 2)Outlook:: <u>Explorer</u> m_Explorer; 3)Outlook:: <u>CommandBars</u> m_CmdBars; 4)Outlook:: <u>CommandBar</u> m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)		Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTContactL1 actL11	ITContactL11	IDispatch	1)Outlook:: <u>Application</u> m_olApp; 2)Outlook:: <u>Explorer</u>	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)		Creating a new Command Bar to the

Figure 20F

			m_Explorer; 3) Outlook::_CommandBars m_CmdBars; 4) Outlook::_CommandBar m_NewBar; 5) Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.	2) AddControls(IDispatch *pToolBar)	Outlook Adding Controls to the Specified Commandbar.
CTCont actL12	ITContactL12	IDispatch	1) Outlook::_Application m_olApp; 2) Outlook::_Explorer m_Explorer; 3) Outlook::_CommandBars m_CmdBars;	1) STDMETHODCALLTYPEIMP CreateToolBar(IDispatch *OlApp, BSTR Name , IDispatch** pNewBar) 2) AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to

Figure 20G

				4)Outlook::CommandBar m_NewBar;			the Specified Commandbar.
CTTask L11	ITTaskL11	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.			Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.	

Figure 20H

CTTask L12	ITTaskL12	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3) <u>Outlook::_CommandBars</u> m_CmdBars; 4) <u>Outlook::CommandBar</u> m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
	CTProjectL11	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3) <u>Outlook::_CommandBars</u> m_CmdBars; 4) <u>Outlook::CommandBar</u> m_NewBar; 5) <u>Office::_CommandBarButton</u> m_cmdBtnFileWithTask,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 201

CTProjectL12	ITProjectL12	IDispatch	m_cmdBtnFileWithContact, m_cmdBtnFileWithAppt, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.		
			1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3) <u>Outlook::_CommandBars</u> m_CmdBars; 4) <u>Outlook::CommandBar</u> m_NewBar;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTNotesL11	ITNotesL11	IDispatch	1) <u>Outlook:: Application</u> m_olApp;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name	Creating a new Command

Figure 20J

CTNote sL12	ITNotesL12	IDispath	<p>2) <u>Outlook:: Explorer</u> m_Explorer;</p> <p>3) Outlook:: _CommandBars m_CmdBars;</p> <p>4) Outlook:: CommandBar m_NewBar;</p> <p>5) Office:: _CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.</p>	<p>,IDispatch** pNewBar)</p> <p>2) AddControls(IDispatch *pToolbar)</p>	<p>Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
			<p>1) <u>Outlook:: Application</u> m_olApp;</p> <p>2) <u>Outlook:: Explorer</u></p>	<p>1) STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p>	<p>Creating a new Command Bar to the</p>

Figure 20K

			m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::_CommandBar m_NewBar;	2)AddControls(IDispatch *pToolBar)	Outlook. Adding Controls to the Specified Commandbar.

Table for second level

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CTInboxL21	ITInboxL21	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3)Outlook::_CommandBars m_CmdBars;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to

Figure 20L

				4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnReply, m_cmdBtnReplyAll, m_cmdBtnDelegate, m_cmdBtnAssignTask, m_cmdBtnDone, m_cmdBtnCreateTask, m_cmdBtnScheduleAppt, m_cmdBtnWatchlist, m_cmdBtnMakeNote, m_cmdBtnFileWithAppt, m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,			the Specified Commandbar.
CTInboxL22	ITInboxL22	IDispatch	1) <u>Outlook:: Application</u> m_olApp; 2) <u>Outlook:: Explorer</u> m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.		

Figure 20M

CTCalendarL21	ITCalendarL21	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook:: CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook:: CommandBar</u> m_NewBar;</p> <p>5)<u>Office:: CommandBarButton</u> m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTCalendarL22	ITCalendarL22	none	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook:: CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook:: CommandBar</u> m_NewBar;</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>

Figure 20N

CTContactL21	ITContactL21	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook::_CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p> <p>5)<u>Office::_CommandBarButton</u> m_cmdBtnFileWithTask, m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject,</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTContactL22	ITContactL22	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook::_CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>

Figure 200

CTTaskL21	ITTaskL21	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook:: CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p> <p>5)<u>Office:: CommandBarButton</u> m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,</p>		<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTTaskL22	ITTaskL22	IDispatch	<p>1)<u>Outlook:: Application</u> m_olApp;</p> <p>2)<u>Outlook:: Explorer</u> m_Explorer;</p> <p>3)<u>Outlook:: CommandBars</u> m_CmdBars;</p> <p>4)<u>Outlook::CommandBar</u> m_NewBar;</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>

Figure 20P

CTProjectL21	ITProjectL21	IDispatch	<p>1) <u>Outlook:: Application</u> m_olApp;</p> <p>2) <u>Outlook:: Explorer</u> m_Explorer;</p> <p>3) Outlook:: CommandBars m_CmdBars;</p> <p>4) Outlook:: CommandBar m_NewBar;</p> <p>5) Office:: CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithAppt,</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTProjectL22	ITProjectL22	IDispatch	<p>1) <u>Outlook:: Application</u> m_olApp;</p> <p>2) <u>Outlook:: Explorer</u> m_Explorer;</p> <p>3) Outlook:: CommandBars m_CmdBars;</p>	<p>1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolBar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified</p>

Figure 20Q

				4)Outlook::CommandBar m_NewBar;		Commandbar.

Table for third level

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CTInboxL31	ITInboxL31	IDispatch	1)Outlook:: <u>Application</u> m_olApp; 2)Outlook:: <u>Explorer</u> m_Explorer; 3)Outlook:: <u>CommandBars</u> m_CmdBars; 4)Outlook:: <u>CommandBar</u> m_NewBar; 5)Office:: <u>CommandBarButton</u>	1)STDMETHODIMP CreateToolBar(IDispatch *OIApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20R

CTInboxL32	ITInboxL32	IDispatch	<p>1) <u>Outlook:: Application</u> m_olApp;</p> <p>2) <u>Outlook:: Explorer</u> m_Explorer;</p> <p>3) Outlook::_CommandBars m_CmdBars;</p> <p>4) Outlook::CommandBar m_NewBar;</p>	<p>1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)</p> <p>2)AddControls(IDispatch *pToolbar)</p>	<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>
CTTaskL31	ITTaskL31	IDispatch	<p>1) <u>Outlook:: Application</u> m_olApp;</p> <p>2) <u>Outlook:: Explorer</u> m_Explorer;</p> <p>3) Outlook::_CommandBars m_CmdBars;</p> <p>4) Outlook::CommandBar m_NewBar;</p> <p>5) Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,</p>		<p>Creating a new Command Bar to the Outlook.</p> <p>Adding Controls to the Specified Commandbar.</p>

Figure 20S

CTTaskL32	ITTaskL32	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolBar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolBar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
-----------	-----------	-----------	---	--	---

Figure 20T

Inbox - Microsoft Outlook

File Edit View Tools Help
Messages End an Entry in This Part of Outlook Send Receive Personalise Outlook

Type a question for help

Find an Entry in This Part of Outlook
Decide What to Do With It
New Note or Idea
New Work Projects
New Work Contacts
New Work Personalize

Shortcuts

- EMPTY INBOX
- Inbox
- My Diary
- Contacts
- Tasks
- Projects
- Notes & Ideas
- Sent Items
- Done
- Done 2004
- Add New Group
- Add New Shortcut

Inbox

Arranged By: Date | Newest on top

Today	Yesterday	Monday	Last Week
<p>Fwd: David</p> <p>MitchCybulski@aol.com</p> <p>To: scbarnes@emigra.com</p> <p>Attachments: Re: David (5 KB)</p> <p>This email has been scanned for all viruses by the MessageLabs SkyScan service.</p>	<p>Garethweed@aol.com</p> <p>Trevor Lee - Australia - Questions</p>	<p>Olavath, Latha</p> <p>Service Brief - Draft</p> <p>Faundez, Kathryn</p> <p>FW: Banking Coordinates Information & Confirmations</p> <p>Faundez, Kathryn</p> <p>VisiON Preparation</p>	<p>Hugh Terry</p> <p>Other ideas</p> <p>Hugh Terry</p> <p>Our agreement</p> <p>Cary, Brad</p> <p>Project Plan template and sample project plans</p> <p>Cary, Brad</p> <p>Compensation Structure Requires Change</p> <p>Hugh Terry</p> <p>Telco/ISP Distribution</p>

11 Items

Start

Address: 10:47 AM

Figure 21




Figure 22

Figure 24

Figure 24




Figure 23

